

The drawings submitted with this application were declared informal by the applicant.

Accordingly, they have not been reviewed by a draftsman at this time. When formal drawings are submitted, the draftsman will perform a review.

Direct any inquiries concerning drawing review to the Drawing Review Branch (703) 305-8404.

Fig. 1A




Fig. 3A Fig. 2

Fig. 3

Fig. 5






Fig. 4




Fig. 7




Fig. 8




Fig. 9




Fig. 11




Fig. 12




Fig. 13




Fig. 10



Fig. 14




Fig. 1B




Fig. 15




Fig. 17




Fig.18




Fig.16




Fig. 19





Fig. 20



00067208-042808

Fig.21








Fig.22








Fig. 24B




Fig. 24C

Top view of the device. The overall width is 2.400" and the overall height is .56". A dimension of .125" is shown for a specific feature. A handwritten 'L' is present. A feature is labeled '20' and another is labeled '22'. A curved arrow points to the right side. A note '2X R.036' points to a corner radius.

Fig 26




Fig. 27




Fig 28

30249060




Fig. 29

BB22500




Fig. 30


[illegible]

Fig. 31

09067208 042960




Fig 32

1000-042500




Fig. 37




Fig. 34

04292900




Fig. 35

Fig. 36

09067203 042909




Fig. 37